

LLC “ERA”

ADDRESS: 390047, Novoselkovskaya, 17, Ryazan, Russia

Declaration of Conformity

We,

Company name: LLC “ERA”

Company address: 390047, Novoselkovskaya, 17, Ryazan, Russia

Declare on our own responsibility that we produced the following product: AXIAL FAN and exported it to:

BB LINK d.o.o. KOSTE ABRASEVICA 10, 11271 SURCIN, BELGRADE, SERBIA, under the brand name ERA, DICITI:

ERA Models: WIND 4, WIND 5, WIND 6.

BB LINK`s model: WIND 100, WIND 120, WIND 150.

Is in compliance with LVD 2014/35/EU safety norms:

EN 60335-2-80:2015

EN 60335-1:2010 + A1:2013 + A2:2016

Yours Sincerely,

LLC “ERA”

DATE: March 18TH , 2024.



Deklaracija o uskladjenosti

PROIZVOĐAČ: LLC “ERA”

ADRESA: 390047, Novoselkovskaya, 17, Ryazan, Russia

PROIZVOD: AKSIJALNI VENTILATORI

TRGOVACKA MARKA: “ERA”, “DICITI”, ”AURAMAX”.

MODEL I SIFRA PROIZVODA: WIND 100, WIND 120, WIND 150.

OBUHVACENI STANDARDI:

2014/35/EU:

EN 60335-2-80:2015

EN 60335-1:2010 + A1:2013 + A2:2016

IZJAVA: MI KOMPANIJA LLC “ERA” IZJAVLJUJEMO DA JE GORE NAVEDENA SPECIFIKACIJA TAČNA I DA SU PROIZVODI U SKLADU SA NAVEDENIM STANDARDIMA.

DATUM: 18.03.2024.



Appendix to CB Certificate Ref. No. SG ITS-32985

Ratings and principal characteristics

220-240V~, 50/60Hz, IP24, Rated power varies between 0.05W and 25W, T:40C, Class II

Trademark	Model	Voltage (V) & Frequency (Hz)	Power (W)	Degree of protection	Notes
DiCIT1	AURA 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20	IP24	
	AURA 4 or 5	220-240V & 50/60Hz	19 or 20		With option TURBO
	AURA 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20		With option MRH, HT, and other with -02, -01
	PARUS 4 or 5 or 6	220-240V & 50/60Hz	16 or 20 or 20		
	PRO 4 or 5 or 6	220-240V & 50/60Hz	14 or 18 or 22		
	SILENT 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20		
	SILENT 4 or 5	220-240V & 50/60Hz	19 or 20		With option TURBO
	SILENT 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20		With option MRH, HT, and other with -02, -01
	SLIM 4 or 5 or 6	220-240V & 50/60Hz	7.8 or 10 or 10		
	SLIM 4 or 5 or 6	220-240V & 50/60Hz	7.8 or 10 or 10		With option MRH, HT, and other with -02, -01
	VIME 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20		
	VIME 4 or 5	220-240V & 50/60Hz	19 or 20		With option TURBO
	VIME 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20		With option MRH, HT, and other with -02, -01
	BREEZE 4 or 5 or 6	220-240V & 50/60Hz	9 or 13 or 13		
	BREEZE 4 or 5	220-240V & 50/60Hz	16 or 20		With option TURBO
	BREEZE 4 or 5	220-240V & 50/60Hz	0.05 or 0.07		With option EC
	RIO 4 or 5 or 6	220-240V & 50/60Hz	14 or 16 or 16		
	AERO 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20		
	AERO 4 or 5	220-240V & 50/60Hz	19 or 20		With option TURBO
	ECLIPSE 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20		
	ECLIPSE 4 or 5	220-240V & 50/60Hz	19 or 20		With option TURBO
	PRISM 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20		
	PRISM 4 or 5	220-240V & 50/60Hz	19 or 20		With option TURBO
	ORION 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20		
	ECO 4 or 5	220-240V & 50/60Hz	8.4 or 10		
	ECO 4 or 5	220-240V & 50/60Hz	0.05 or 0.07		With option EC

	FAVORITE 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20		
	FAVORITE 4 or 5	220-240V & 50/60Hz	19 or 20		With option TURBO
	AEON 4 or 5 or 6	220-240V & 50/60Hz	8.4 or 10 or 20		
	AEON 4 or 5	220-240V & 50/60Hz	19 or 20		With option TURBO
	AGE 4 or 5	220-240V & 50/60Hz	8.4 or 10 or 20		
	AGE 4 or 5	220-240V & 50/60Hz	19 or 20		With option TURBO
ERA	COMFORT 4 or 5 or 6	220-240V & 50/60Hz	16 or 18 or 18	IP24	
	DISC 4 or 5 or 6	220-240V & 50/60Hz	17 or 20 or 20		
	E 100 or 125 or 150	220-240V & 50/60Hz	14 or 16 or 16		
	ERA 4 or 5 or 6	220-240V & 50/60Hz	14 or 16 or 16		
	EURO 4 or 5 or 6	220-240V & 50/60Hz	14 or 14 or 14		Without option A
	EURO 4 or 5 or 6	220-240V & 50/60Hz	16 or 16 or 16		With option A
	FLOW 4 or 5 or 150 or 6	220-240V & 50/60Hz	14 or 18 or 20 or 22		
	NEO 4 or 5 or 6	220-240V & 50/60Hz	14 or 16 or 16		
	QUADRO 4 or 5 or 6	220-240V & 50/60Hz	16 or 20 or 20		
	SOL 4 or 5 or 6	220-240V & 50/60Hz	16 or 20 or 20		
	PROFIT 4 or 5 or 150 or 6	220-240V & 50/60Hz	14 or 18 or 20 or 22		
	WAVE 4 or 6 or 120	220-240V & 50/60Hz	14 or 16 or 16		
	SOLO 4 or 5 or 6	220-240V & 50/60Hz	14 or 16 or 16		
	HPS 15 or 20	220-240V & 50/60Hz	15 or 25		
	STANDARD 4 or 5	220-240V & 50/60Hz	16 or 20		
	AIR 4 or 5 or 6	220-240V & 50/60Hz	14 or 16 or 16		
	WIND 4 or 6 or 120	220-240V & 50/60Hz	14 or 16 or 16		
AURAMAX	A 4 or 5 or 6	220-240V & 50/60Hz	14 or 16 or 16	IP24	
	B 4 or 120 or 5	220-240V & 50/60Hz	14 or 14 or 16		
	C 4 or 5	220-240V & 50/60Hz	14 or 16		
	D 4 or 5 or 6	220-240V & 50/60Hz	14 or 16 or 16		
	F 4 or 5 or 6	220-240V & 50/60Hz	14 or 16 or 16		
	M 4 or 5 or 6	220-240V & 50/60Hz	14 or 16 or 16		
	OPTIMA 4 or 5 or 6	220-240V & 50/60Hz	14 or 14 or 16		
	RF 4 or 5 or 150 or 6	220-240V & 50/60Hz	14 or 18 or 22 or 22		
	RW 4 or 5 or 150 or 6	220-240V & 50/60Hz	14 or 18 or 22 or 22		
	VP 4 or 5 or 150 or 6	220-240V & 50/60Hz	14 or 18 or 22 or 22		

	SIMPLE 4 or 5 or 6	220-240V & 50/60Hz	14 or 16 or 18	
	CUSTOM 4 or 5 or 6	220-240V & 50/60Hz	14 or 16 or 18	

Model / Type Ref.

For Trademark DiCiTi:

AURA*, PARUS*, PRO*, SILENT*, SLIM*, VIME*, BREEZE*, RIO*, AERO*, ECLIPSE*, PRISM*, ORION*, ECO*, FAVORITE*, AEON*, AGE*.

For Trademark ERA:

COMFORT*, DISC*, E*, ERA*, EURO*, FLOW*, NEO*, PROFIT*, QUADRO*, SOL*, WAVE*, SOLO*, STANDARD*, HPS 15*, HPS 20*, AIR*, WIND*.

For Trademark AURAMAX:

A*, B*, C*, D*, F*, M*, OPTIMA*, RF*, RW*, VP*, SIMPLE*, CUSTOM*.

* can be 4, 5, 6, 100, 120, 125 or 150, stands diameter:

- 4: For pipe with diameter 100mm
- 5: For pipe with diameter 125mm
- 6: For pipe with diameter 160mm
- 100: For pipe with diameter 100 mm, identification without code 4
- 120: For pipe with diameter 120mm
- 125: For pipe with diameter 125 mm, identification without code 5
- 150: For pipe with diameter 150 mm, identification without code 6

Additional options:

- 02: Supply cord
- 03: Two-speed
- S: Mosquito Net
- C: Return Valve
- A: Automatic Louver
- AT: Automatic Timer
- ET: Electronic timer
- ETF: Electronic timer and photosensor
- HT: Humidity Sensor
- MR: Controller Fusion Logic 1.0 equipped with a photo timer
- MRH: Controller Fusion Logic 1.1 equipped with a photo timer and humidity sensor
- MRe: Controller Fusion Logic 1.2 equipped with a photo timer and airing mode
- BB: Motor with Ball Bearing
- TURBO: High performance motor
- EC: Electronically Commutated motor
- MT: Motion sensor
- 12V: Supplied with 12 V ~ motor (to be used with a step-down transformer specified in user manual)

Date: 18 August 2023

Signature: Ong Keng Chuan



Ref. Certif. No.

SG ITS-32985

IEC SYSTEM FOR MUTUAL RECOGNITION OF TEST CERTIFICATES FOR ELECTRICAL EQUIPMENT (IECEE) CB SCHEME

CB TEST CERTIFICATE

Product

Built-in Partition Fan (Axial Fan)

Name and address of the applicant

LLC ERA
Novoselkovskaya 17, Ryazan-city, Russia, 390047

Name and address of the manufacturer

LLC ERA
Novoselkovskaya 17, Ryazan-city, Russia, 390047

Name and address of the factory

Note: When more than one factory, please report on page 2

LLC ERA
Novoselkovskaya 17, Ryazan-city, Russia, 390047

Additional Information on page 2

Ratings and principal characteristics

See Appendix

Trademark (if any)



Customer's Testing Facility (CTF) Stage used

-

Model / Type Ref.

See Appendix

Additional information (if necessary may also be reported on page 2)

Group and national differences for CENELEC countries have been checked.

A sample of the product was tested and found to be in conformity with

IEC 60335-2-80:2015
IEC 60335-1:2010 + A1:2013 + A2:2016

As shown in the Test Report Ref. No. which forms part of this Certificate

202300795IST

This CB Test Certificate is issued by the National Certification Body

Intertek Testing Services (Singapore) Pte Ltd
5, Pereira Road, #06-01
Asiawide Industrial Building
Singapore 368025



Date: 18 August 2023

Signature:

Ong Keng Chuan



Ref. Certif. No.

SG ITS-32985

Name and address of the factory

Hangzhou Lifeng Import & Export Co., Ltd
Hangzhou, 22nd floor, Huarong Times Mansion, No. 3880 Jiangnan Ave., Zhejiang Province, China, 310053

Date: 18 August 2023

Signature:

Ong Keng Chuan