



Elementa doo
Jovana Mikića 56
24000 Subotica
Tel: 024/686-270
Fax: 024/686-275
office@elementa.rs

DEKLARACIJA O USAGLAŠENOSTI

br.406-23052020

Proizvođač: **ELEMENTA d.o.o.**
Adresa: **Jovana Mikića 56, Subotica**

Izjavljujemo da:
Naziv proizvoda: **Grejalice**
Šifra proizvoda: **PREMA PRILOGU koji je sastavni deo ove Deklaracije**

Gde je:
Robna marka: **PROSTO**

Da su gore navedeni proizvodi usaglašeni sa direktivama Evropske Unije:

2014/35 EU Direktiva za električne uređaje niskog napona . (LVD)
2014/30 EU Direktiva za elektromagnetsku kompatibilnost (EMC)

Referentni brojevi primenjenih standarda:

EN 60335-1:2012+A11:2014
EN 60335-2-30:2009+A11:2012
EN 62233:2008
EN 55014-1:2006+A1:2009+A2:2011
EN 55014-2:1997+A12001+A2:2008
EN 61000-3-2:2014
EN 61000-3-3:2013

Ostale reference i informacije:

Broj deklaracije o usaglašenosti i ispitnih izveštaja: **406-23052020, NST/CBV150318, NSQ-11JY1414HTSPB, NSQ-11JY1414HTSPB-A1, NSQ-11JY1414HTSPB-A2**

Naziv i adresa ispitne laboratorije:
Laboratorie Central des Industries Électriques, www.lde.fr, LCIE


Datum ispitnog izveštaja: **16.07.2015., 08. 09. 2011., 21.06.2012., 11.11.2013.**

Zadnja dva broja godine izdavanja Deklaracije: **20**

Subotica, **23.05.2020**



Ovlašćeno lice
Antun Oravec



Elementa doo
Jovana Mikića 56
24000 Subotica
Tel: 024/686-270
Fax:024/686-275
office@elementa.rs

PRILOG

Prilog grejalica uz Deklaraciju 406-23052020

FK-Y01/2200, FK-Y01/2000, FK-Y01/1800, FK-Y01/1300, FK-Y11/2200, FK-Y11/2000, FK-Y11/1800, FK-Y11/1300, FK-Y05/2200, FK-Y05/1600, FK-Y05/1300, FK-Y05/1200, FK-Y12/2000, FK-Y12/1800, FK-Y12/1300, FK-Y13/2200, FK-Y13/2000, FK-Y13/1800, FK-Y13/1300, FK-Y15/2200, FK-Y15/2000, FK-Y15/1800, FK-Y15/1300, FK-Y111/2200, FK-Y111/1800, FK-Y111/1300, FK-Y511/2200, FK-Y511/1800, FK-Y511/1300, FK-Y121/2200, FK-Y121/1800, FK-Y121/1300, FK-Y112/2200, FK-Y112/1800, FK-Y112/1300, FK-Y512/2200, FK-Y512/1800, FK-Y512/1300, FK-Y113/2500, FK-Y113/2000, FK-Y113/1500, FK-Y113/1000, FK-Y113/500, FK-Y123/2500, FK-Y123/2000, FK-Y123/1500, FK-Y123/1000, FK-Y123/500, FK-Y513/2000, FK-Y513/1500, FK-Y513/1000, FK-YQ, FK-YQ/BK, FK-YQT, FK-YQT/BK, FK-YC, FK-YC/BK, FK-YCT, FK-YCT/BK, FK-YA, FK-YA/BK, FK-YAT, FK-YAT/BK, FK-YB, FK-YB/BK, FK-YBT, FK-YBT/BK

Subotica, 23.05.2020


Ovlašćeno lice

Antun Oravec





Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



POTVRDA O USAGLAŠENOSTI Broj: P07200187600
CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka: PROSTO
Trademark:

Proizvodjač: ELEMENTA D.O.O.
Manufacturer: SRBIJA
SUBOTICA

Vrednovana dokumentacija *Evaluated documentation:*

Izvešaj/sertifikat: NSQ-11JY1414HTSPB-A4 od 14.09.2016
Test report/Certificate:

Izdat od: LCIE CHINA
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o elektromagnetskoj kompatibilnosti' (Sl. glasnik RS, 25/2016).

On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electromagnetic Compatibility' (Official Gazette RS, 25/2016).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.

Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: **Važi do:**
Place and date: *Valid until:*
Niš, 26.05.2020. 25.05.2025.



Generalni direktor

Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Акционарско друштво за испитивање квалитета KVALITET Ниш
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: **P07200187600**
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: FK-Y01/2200, FK-Y01/2000, FK-Y01/1800, FK-Y01/1300, FK-Y11/2200, FK-Y11/2000,
Type: FK-Y11/1800, FK-Y11/1300, FK-Y05/2200, FK-Y05/1600, FK-Y05/1300, FK-Y05/1200,
FK-Y12/2000, FK-Y12/1800, FK-Y12/1300, FK-Y13/2200, FK-Y13/2000, FK-Y13/1800,
FK-Y13/1300, FK-Y15/2200, FK-Y15/2000, FK-Y15/1800, FK-Y15/1300, FK-
Y111/2200, FK-111/1800, FK-Y111/1300, FK-Y 511/2200, FK-Y511/1800, FK-
Y511/1300, FK-Y121/2200, FK-Y121/1800, FK-Y121/1300, FK-Y112/2200, FK-
Y112/1800, FK-Y112/1300, FK-Y512/2200, FK-Y512/1800, FK-Y512/1300, FK-
Y113/2500, FK-Y113/2000, FK-Y113/1500, FK-Y113/1000, FK-Y113/500, FK-
Y123/2500, FK-Y123/2000, FK-Y123/1500, FK-Y123/1000, FK-Y123/500, FK-
Y513/2000, FK-Y513/1500, FK-Y513/1000, FK-YQ, FK-YQ/BK, FK-YQT, FK-YQT/BK,
FK-YC, FK-YC/BK, FK-YCT, FK-YCT/BK, FK-YA, FK-YA/BK, FK-YAT, FK-YAT/BK, FK-
YB, FK-YB/BK, FK-YBT, FK-YBT/BK

Mesto i datum izdavanja: **Važi do:**
Place and date: *Valid until:*
Niš, 26.05.2020. 25.05.2025.



Generalni direktor


.....
Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



POTVRDA O USAGLAŠENOSTI Broj: **P0820076300**
CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka: PROSTO
Trademark:

Proizvodjač: ELEMENTA D.O.O.
Manufacturer: SRBIJA
SUBOTICA

Vrednovana dokumentacija *Evaluated documentation:*

Izvešaj/sertifikat: NST/CBV150318, 16.07.2015, Amand.1, 14.09.2016.
Test report/Certificate:

Izdat od: LCIE
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o električnoj opremi namenjenoj za upotrebu u okviru određenih granica napona' (Sl. glasnik RS, 25/2016).
On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electrical Equipment designed for Use within Certain Voltage Limits' (Official Gazette RS, 25/2016).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.
Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: **Važi do:**
Place and date: *Valid until:*
Niš, 26.05.2020. 25.05.2025.



Generalni direktor

.....
Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш
Joint-stock company for quality testing KVALITET Niš



PRILOG POTVRDE O USAGLAŠENOSTI Broj: **P0820076300**
ANNEX OF CONFIRMATION OF CONFORMITY No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: FK-Y01/2200, FK-Y01/2000, FK-Y01/1800, FK-Y01/1300, FK-Y11/2200, FK-Y11/2000,
Type: FK-Y11/1800,FK-Y11/1300, FK-Y05/2200, FK-Y05/1600, FK-Y05/1300, FK-Y05/1200,FK-Y12/2000, FK-Y12/1800,FK-Y12/1300, FK-Y13/2200, FK-Y13/2000, FK-Y13/1800, FK-Y13/1300, FK-Y15/2200, FK-Y15/2000,FK-Y15/1800, F K-Y15/1300, FK-Y111/2200, FK-Y111/1800, FK-Y111/1300, F K-Y511/2200,FK-Y511/1800, FK-Y511/1300, FK-Y121/2200, FK-Y121/1800, FK-Y121/1300, FK-Y112/2200,FK-Y112/1800, FK-Y112/1300, FK-Y512/2200, FK-Y512/1800, FK-Y512/1300, FK-Y113/2500,FK-Y113/2000, FK-Y113/1500, FK-Y113/1000, FK-Y113/500,FK-Y123/2500, FK-Y123/2000,FK-Y123/1500, FK-Y123/1000, FK-Y123/500, FK-Y513/2000, FK-Y513/1500, FK-Y513/1000,FK-YQ, FK-YQ/BK, FK-YQT, FK-YQT/BK, FK-YC, FK-YC/BK, FK-YCT, FK-YCT/BK FK-YA,FK-YA/BK, FK-YAT, FK-YAT/BK, FK-YB, FK-YB/BK, FK-YBT, FK-YBT/BK

Mesto i datum izdavanja:
Place and date:
Niš, 26.05.2020.

Važi do:
Valid until:
25.05.2025.



Generalni direktor

Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Elementa doo
Jovana Mikića 56
24000 Subotica
Tel: 024/686-270
Fax: 024/686-275
office@elementa.rs

DEKLARACIJA O USAGLAŠENOSTI

Proizvođač: **ELEMENTA d.o.o.**
Adresa: **Jovana Mikića 56, Subotica**

Izjavljujemo da:
Naziv proizvoda: **Grejalice**
Šifra proizvoda: **PREMA PRILOGU koji je sasatavni deo ove Deklaracije**

Gde je:
Robna marka: **PROSTO**

Da su gore navedeni proizvodi usaglašeni sa direktivama Evropske Unije:

2014/35 EU Direktiva za električne uređaje niskog napona . (LVD)
2014/30 EU Direktiva za elektromagnetsku kompatibilnost (EMC)

Referentni brojevi primenjenih standarda:

EN 60335-1:2012+A11:2014
EN 60335-2-30:2009+A11:2012
EN 62233:2008
EN 55014-1:2006+A1:2009+A2:2011
EN 55014-2:1997+A12001+A2:2008
EN 61000-3-2:2014
EN 61000-3-3:2013

Ostale reference i informacije:

Broj deklaracije o usaglašenosti i ispitnih izveštaja: **406-22052017, NST/CBV150318, NSQ-11JY1414HTSPB, NSQ-11JY1414HTSPB-A1, NSQ-11JY1414HTSPB-A2**

Naziv i adresa ispitne laboratorije:
Laboratorie Central des Industries Électriques, www.lde.fr, LCIE

Datum ispitnog izveštaja: **16.07.2015., 08. 09. 2011., 21.06.2012., 11.11.2013.**

Zadnja dva broja godine izdavanja Deklaracije: **17**

Subotica, **22.05.2017**



Ovlašćeno lice
Antun Oravec



Elementa doo
Jovana Mikića 56
24000 Subotica
Tel: 024/686-270
Fax: 024/686-275
office@elementa.rs

PRILOG

Prilog grejalica uz Deklaraciju 406-22052017

FK-Y01/2200, FK-Y01/2000, FK-Y01/1800, FK-Y01/1300, FK-Y11/2200, FK-Y11/2000, FK-Y11/1800, FK-Y11/1300, FK-Y05/2200, FK-Y05/1600, FK-Y05/1300, FK-Y05/1200, FK-Y12/2000, FK-Y12/1800, FK-Y12/1300, FK-Y13/2200, FK-Y13/2000, FK-Y13/1800, FK-Y13/1300, FK-Y15/2200, FK-Y15/2000, FK-Y15/1800, FK-Y15/1300, FK-Y111/2200, FK-Y111/1800, FK-Y111/1300, FK-Y511/2200, FK-Y511/1800, FK-Y511/1300, FK-Y121/2200, FK-Y121/1800, FK-Y121/1300, FK-Y112/2200, FK-Y112/1800, FK-Y112/1300, FK-Y512/2200, FK-Y512/1800, FK-Y512/1300, FK-Y113/2500, FK-Y113/2000, FK-Y113/1500, FK-Y113/1000, FK-Y113/500, FK-Y123/2500, FK-Y123/2000, FK-Y123/1500, FK-Y123/1000, FK-Y123/500, FK-Y513/2000, FK-Y513/1500, FK-Y513/1000, FK-YQ, FK-YQ/BK, FK-YQT, FK-YQT/BK, FK-YC, FK-YC/BK, FK-YCT, FK-YCT/BK, FK-YA, FK-YA/BK, FK-YAT, FK-YAT/BK, FK-YB, FK-YB/BK, FK-YBT, FK-YBT/BK

Subotica, 22.05.2017

Ovlašćeno lice
Antun Oravec





Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



POTVRDA O USAGLAŠENOSTI
CONFIRMATION OF CONFORMITY

Broj: **P07170188900**
No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA SA VENTILATOROM
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka: PROSTO
Trademark:

Proizvodjač: Elementa d.o.o.
Manufacturer:

Vrednovana dokumentacija Evaluated documentation:

Izveštaj/sertifikat: NSQ-11JY1414HTSPB-A4 od 14.09.2016
Test report/Certificate:

Izdat od: LCIE CHINA
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o elektromagnetskoj kompatibilnosti' (Sl. glasnik RS, 13/2010).

On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electromagnetic Compatibility' (Official Gazette RS, 13/2010).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.

Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: Niš, 24.05.2017.
Place and date:
Važi do: 23.05.2020.
Valid until:



30 Generalni direktor
Vladimir Vukašinić
Vladimir Vukašinić, dipl.inž.



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



PRILOG POTVRDE O USAGLAŠENOSTI
ANNEX OF CONFIRMATION OF CONFORMITY

Broj: **P07170188900**
No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA SA VENTILATOROM
Product:

Oznaka tipa/modela: FK-Y01/2200, FK-Y01/2000, FK-Y01/1800, FK-Y01/1300, FK-Y11/2200, FK-Y11/2000, FK-Y11/1800, FK-Y11/1300, FK-Y05/2200, FK-Y05/1600, FK-Y05/1300, FK-Y05/1200, FK-Y12/2000, FK-Y12/1800, FK-Y12/1300, FK-Y13/2200, FK-Y13/2000, FK-Y13/1800, FK-Y13/1300, FK-Y15/2200, FK-Y15/2000, FK-Y15/1800, FK-Y15/1300, FK-Y111/2200, FK-1111/1800, FK-Y1111/1300, FK-Y 511/2200, FK-Y511/1800, FK-Y511/1300, FK-Y121/2200, FK-Y121/1800, FK-Y121/1300, FK-Y112/2200, FK-Y112/1800, FK-Y112/1300, FK-Y512/2200, FK-Y512/1800, FK-Y512/1300, FK-Y113/2500, FK-Y113/2000, FK-Y113/1500, FK-Y113/1000, FK-Y113/500, FK-Y123/2500, FK-Y123/2000, FK-Y123/1500, FK-Y123/1000, FK-Y123/500, FK-Y513/2000, FK-Y513/1500, FK-Y513/1000, FK-YQ, FK-YQ/BK, FK-YQT, FK-YQT/BK, FK-YC, FK-YC/BK, FK-YCT, FK-YCT/BK, FK-YA, FK-YA/BK, FK-YAT, FK-YAT/BK, FK-YB, FK-YB/BK, FK-YBT, FK-YBT/BK

Mesto i datum izdavanja:
Place and date:
Niš, 24.05.2017.

Važi do:
Valid until:
23.05.2020.




30 Generalni direktor
Vladimir Vukašinović
Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



POTVRDA O USAGLAŠENOSTI
CONFIRMATION OF CONFORMITY

Broj: **P0817070100**
No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: KAO U PRILOGU
Type:

Robna marka: PROSTO
Trademark:

Proizvodjač: ELEMENTA D.O.O.
Manufacturer: SRBIJA
SUBOTICA

Vrednovana dokumentacija *Evaluated documentation:*

Izveštaj/sertifikat: NST/CBV150318, 16.07.2015, Amand.1, 14.09.2016.
Test report/Certificate:

Izdat od: LCIE
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o električnoj opremi namenjenoj za upotrebu u okviru određenih granica napona' (Sl. glasnik RS, 13/2010).
On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electrical Equipment designed for Use within Certain Voltage Limits' (Official Gazette RS, 13/2010).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.

Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: **Važi do:**
Place and date: *Valid until:*
Niš, 24.05.2017. 23.05.2020.



39 Generalni direktor

Vladimir Vukašinić
Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш
Joint-stock company for quality testing "KVALITET" Niš



PRILOG POTVRDE O USAGLAŠENOSTI
ANNEX OF CONFIRMATION OF CONFORMITY

Broj: **P0817070100**
No.

Podnosilac zahteva: ELEMENTA D.O.O.
Applicant: 24000 SUBOTICA
JOVANA MIKIĆA 56

Proizvod: ELEKTRIČNA GREJALICA
Product:

Oznaka tipa/modela: FK-Y01/2200, FK-Y01/2000, FK-Y01/1800, FK-Y01/1300, FK-Y11/2200, FK-Y11/2000,
Type: FK-Y11/1800,FK-Y11/1300, FK-Y05/2200, FK-Y05/1600, FK-Y05/1300, FK-Y05/1200,FK-Y12/2000, FK-Y12/1800,FK-Y12/1300, FK-Y13/2200, FK-Y13/2000, FK-Y13/1800, FK-Y13/1300, FK-Y15/2200, FK-Y15/2000,FK-Y15/1800, F K-Y15/1300, FK-Y111/2200, FK-Y111/1800, FK-Y111/1300, F K-Y511/2200,FK-Y511/1800, FK-Y511/1300, FK-Y121/2200, FK-Y121/1800, FK-Y121/1300, FK-Y112/2200,FK-Y112/1800, FK-Y112/1300, FK-Y512/2200, FK-Y512/1800, FK-Y512/1300, FK-Y113/2500,FK-Y113/2000, FK-Y113/1500, FK-Y113/1000, FK-Y113/500,FK-Y123/2500, FK-Y123/2000,FK-Y123/1500, FK-Y123/1000, FK-Y123/500, FK-Y513/2000, FK-Y513/1500, FK-Y513/1000,FK-YQ, FK-YQ/BK, FK-YQT, FK-YQT/BK, FK-YC, FK-YC/BK, FK-YCT, FK-YCT/BK FK-YA,FK-YA/BK, FK-YAT, FK-YAT/BK, FK-YB, FK-YB/BK, FK-YBT, FK-YBT/BK

Mesto i datum izdavanja:
Place and date:
Niš, 24.05.2017.

Važi do:
Valid until:
23.05.2020.



30 Generalni direktor

Vladimir Vukašinić
Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs