



## Cixi Chenxu Electric Appliance Co.,Ltd

No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China  
www.nbchenxu.com

### Declaration of Conformity

On behalf of undersigned producer of the product:

Producer: **Cixi Chenxu Electric Appliance Co.,Ltd**

Address: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

We declare that following identified product:

Name of the product: **Cord extension set** is identical by following:

NV2-3/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 3m)
NV2-5/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 5m)
NV2-10/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 10m)
NV2-15/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 15m)
NV2-20/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 20m)
NV2-25/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 25m)
NV2-30/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 30m)

Trade Mark: **PROSTO**

Fits to the rules of the European Union:

**2014/35/EU** Directive of the European Parliament and of the Council about the national legislation regarding the Low Voltage Directive (LVD)

Reference number of applied standards:

**EN 60884-1:2002+A1:2006**

Number of Conformity according to the declaration (test report):

**140500654SHA-001**

Name and Adress of the issuing institution:

**INTERTEK TESTING SERVICES Shanghai**

Date of issue: **Jun. 19, 2014**

Location of technical documentation: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

06/12/2019

(Authorized person)

慈溪市晨栩电器有限公司  
CIXI CHENXU ELECTRIC APPLIANCE CO.,LTD  
邵腾杰

**PREVOD:**  
**„EC” Deklaracija o usaglašenosti**

Proizvođač: **Cixi Chenxu Electric Appliance Co.,Ltd**

Adresa: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

Izjavljujemo da:

Produžni kablovi

<b>NV2-3/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 3m)</b>
<b>NV2-5/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 5m)</b>
<b>NV2-10/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 10m)</b>
<b>NV2-15/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 15m)</b>
<b>NV2-20/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 20m)</b>
<b>NV2-25/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 25m)</b>
<b>NV2-30/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 30m)</b>

Trade Mark: **PROSTO**

Da su gore navedeni proizvodi usaglašeni sa direktivame Evropske Unije:  
**2014/35/EU** Direktiva za električne uređaje niskog napona . (LVD)

Referentni broj primenjenih standarda:

**EN 60884-1:2002+A1:2006**

Ostale reference i informacije:

Broj Deklaracije o usaglašenosti prema deklaraciji (Ispitni izveštaj): **374-12122016 / 140500654SHA-001**

Naziv i adresa ispitne laboratorije: **INTERTEK TESTING SERVICES Shanghai**

Datum izdavanja: **Jun. 19, 2014**

Lokacija tehničke dokumentacije: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

06.12.2019



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš  
Акционерско друштво за испитивање квалитета КВАЛИТЕТ Ниш  
Joint-stock company for quality testing KVALITET Niš



**POTVRDA O USAGLAŠENOSTI**  
CONFIRMATION OF CONFORMITY

Broj: **P1119125800**  
No.

Podnosilac zahteva: ELEMENTA D.O.O.  
Applicant: 24000 SUBOTICA  
JOVANA MIKIĆA 56

Proizvod: PRODUŽNI SAVITLJIVI KABL  
Product:

Oznaka tipa/modela: KAO U PRILOGU  
Type:

Robna marka: PROSTO  
Trademark:

Proizvodjač: CIXI CHENXU ELECTRIC APPLIANCE CO., LTD  
Manufacturer: KINA

**Vrednovana dokumentacija** Evaluated documentation:

Izvešaj/sertifikat: 140500654SHA-001 od 18.6.2014  
Test report/Certificate:

Izdato od: INTERTEK TESTING SERVICES Shanghai  
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o električnoj opremi namenjenoj za upotrebu u okviru određenih granica napona' (Sl. glasnik RS, 25/2016).  
On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electrical Equipment designed for Use within Certain Voltage Limits' (Official Gazette RS, 25/2016).

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.  
Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".

Mesto i datum izdavanja: **Važi do:**  
Place and date: **Valid until:**  
Niš, 16.12.2019. **15.12.2024.**



Generalni direktor

.....  
Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068  
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta KVALITET Niš  
Акционарско друштво за испитивање квалитета КВАЛИТЕТ Ниш  
Joint-stock company for quality testing KVALITET Niš



**PRILOG POTVRDE O USAGLAŠENOSTI** Broj: **P1119125800**  
*ANNEX OF CONFIRMATION OF CONFORMITY* No.

**Podnosilac zahteva:** ELEMENTA D.O.O.  
*Applicant:* 24000 SUBOTICA  
JOVANA MIKIĆA 56

**Proizvod:** PRODUŽNI SAVITLJIVI KABL  
*Product:*


**Oznaka tipa/modela:** NV2-3/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 3m;  
*Type:* NV2-5/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 5m;  
NV2-10/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 10m;  
NV2-15/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 15m;  
NV2-20/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 20m;  
NV2-25/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 25m;  
NV2-30/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 30m

**Mesto i datum izdavanja:**  
*Place and date:*  
Niš, 16.12.2019.

**Važi do:**  
*Valid until:*  
15.12.2024.



Generalni direktor

  
Vladimir Vukašinović, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068  
e-mail: office@kvalitet.co.rs, <http://www.kvalitet.co.rs>



## Cixi Chenxu Electric Appliance Co.,Ltd

No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China  
www.nbchenxu.com

### Declaration of Conformity

On behalf of undersigned producer of the product:

Producer: **Cixi Chenxu Electric Appliance Co.,Ltd**

Address: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

We declare that following identified product:

Name of the product: **Cord extension set** is identical by following:

NV2-3/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 3m)
NV2-5/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 5m)
NV2-10/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 10m)
NV2-15/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 15m)
NV2-20/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 20m)
NV2-25/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 25m)
NV2-30/OR-P	(CX-DYB-01 - H05VV-F 3G1,5mm <sup>2</sup> 30m)

Trade Mark: **PROSTO**

Fits to the rules of the European Union:

**2006/95/EC** Directive of the European Parliament and of the Council about the national legislation regarding the Low Voltage Directive (LVD)

Reference number of applied standards:

EN 60884-1:2002+A1:2006

Number of Conformity according to the declaration (test report):

374-12122016 / 140500654SHA-001

Name and Adress of the issuing institution:

**INTERTEK TESTING SERVICES Shanghai**

Date of issue: **Jun. 19, 2014**

Location of technical documentation: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

12/12/2016

(Authorized person)

慈溪市晨翔电器有限公司  
CIXI CHENXU ELECTRIC APPLIANCE CO.,LTD

郭腾杰

No. 374-12122016

**PREVOD:**  
**„EC” Deklaracija o usaglašenosti**

Proizvođač: **Cixi Chenxu Electric Appliance Co.,Ltd**

Adresa: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

Izjavljujemo da:

Produžni kablovi

<b>NV2-3/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 3m)</b>
<b>NV2-5/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 5m)</b>
<b>NV2-10/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 10m)</b>
<b>NV2-15/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 15m)</b>
<b>NV2-20/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 20m)</b>
<b>NV2-25/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 25m)</b>
<b>NV2-30/OR-P</b>	<b>(CX-DYB-01 - H05VV-F 3G1,5mm<sup>2</sup> 30m)</b>

Trade Mark: **PROSTO**

Da su gore navedeni proizvodi usaglašeni sa direktivame Evropske Unije:  
**2006/95/EC** Direktiva za električne uređaje niskog napona . (LVD)

Referentni broj primenjenih standarda:

**EN 60884-1:2002+A1:2006**

Ostale reference i informacije:

Broj Deklaracije o usaglašenosti prema deklaraciji (Ispitni izveštaj): **374-12122016 / 140500654SHA-001**

Naziv i adresa ispitne laboratorije: **INTERTEK TESTING SERVICES Shanghai**

Datum izdavanja: **Jun. 19, 2014**

Lokacija tehničke dokumentacije: **No.278, Dachuang South Road, Kandun Street, Cixi Ningbo City, Yhejiang Province, China**

12.12.2016



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš  
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш  
Joint-stock company for quality testing "KVALITET" Niš



**POTVRDA O USAGLAŠENOSTI** Broj: P1116079900  
**CONFIRMATION OF CONFORMITY** No.

Podnosilac zahteva: ELEMENTA D.O.O.  
Applicant: 24000 SUBOTICA  
JOVANA MIKIĆA 56

Proizvod: PRODUŽNI SAVITLJIVI KABL  
Product:

Oznaka tipa/modela: KAO U PRILOGU  
Type:

Robna marka: PROSTO  
Trademark:

Proizvodjač: CIXI CHENXU ELECTRIC APPLIANCE CO., LTD  
Manufacturer: KINA

Vrednovana dokumentacija *Evaluated documentation:*

Ispitni izveštaj: 140500654SHA-001 od 18.6.2014  
Test report:

Izdat od: INTERTEK TESTING SERVICES Shanghai  
Issued by:

Na osnovu gore navedene dokumentacije utvrđeno je da gore navedeni proizvod zadovoljava zahteve 'Pravilnika o električnoj opremi namenjenoj za upotrebu u okviru određenih granica napona' (Sl. glasnik RS, 13/2010).  
*On the basis of the above mentioned documentation it is found that above mentioned product fulfils the requirements of the 'Rulebook on Electrical Equipment designed for Use within Certain Voltage Limits' (Official Gazette RS, 13/2010).*

Nastale promene u specifikaciji, tipu/modelu, komponentama, električnim karakteristikama proizvoda koji utiču na usaglašenost sa navedenim Pravilnikom moraju se prijaviti "Kvalitet"-u a.d. Niš.  
*Any changes occur in the specification, type/model, components of the design, electrical construction which may influence on conformity to the above mention Rulebook, shall be forwarded to "Kvalitet".*

Mesto i datum izdavanja: Važi do:  
Place and date: Valid until:  
Niš, 14.12.2016. 13.12.2019.



Generalni direktor

Vladimir Vukašinić, dipl.inž.

Ovaj dokument važi samo za proizvode koji su istovetni sa proizvodima koji su bili predmet vrednovanja.

Bul. Svetog Cara Konstantina 82-86, Niš 18000, Srbija, Tel: (018)550-766, 550-624, Fax: (018)550-636, 550-068  
e-mail: office@kvalitet.co.rs, http://www.kvalitet.co.rs



Akcionarsko društvo za ispitivanje kvaliteta "KVALITET" Niš  
Акционарско друштво за испитивање квалитета "КВАЛИТЕТ" Ниш  
Joint-stock company for quality testing "KVALITET" Niš



**PRILOG POTVRDE O USAGLAŠENOSTI** Broj: P1116079900  
*ANNEX OF CONFIRMATION OF CONFORMITY* No.

Podnosilac zahteva: ELEMENTA D.O.O.  
Applicant: 24000 SUBOTICA  
JOVANA MIKIĆA 56

Proizvod: PRODUŽNI SAVITLJIVI KABL  
Product:

Oznaka tipa/modela: NV2-3/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 3m;  
Type: NV2-5/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 5m;  
NV2-10/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 10m;  
NV2-15/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 15m;  
NV2-20/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 20m;  
NV2-25/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 25m;  
NV2-30/OR-P sa provodnikom H05VV-F 3G1,5mm<sup>2</sup> 30m

Mesto i datum izdavanja: Niš, 14.12.2016.  
Place and date:  
Važi do: 13.12.2019.  
Valid until:



Generalni direktor  
  
Vladimir Vukašinović, dipl.inž.